

Republic of the Philippines
DEPARTMENT OF TRADE AND INDUSTRY
Regional Office No. VIII
Pawing, Palo, Leyte

SUPPLEMENTAL/BID BULLETIN # 20-189

INVITATION TO BID FOR SUPPLY AND DELIVERY OF GOODS
(Shared Service Facility – L B)

This Supplemental Bid Bulletin is issued to modify and amend items in the Bid Document for the above-mentioned project. This shall form an integral part of the Bid Documents.


Amendments/Clarification/Addendum	
ORIGINAL	AMENDMENT
LOT 1 SSF-21-081 1 unit FLOUR MILL Stone Size 14 Flour Mill Weight 73 Kg Stone Width 3" Electric Motor 3 H.P.(Single) Speed 580-600 RPM V Belts Size B-47 Baring Size Average Grinding Capacity 35 kg/ 1 Hour Box Size 12 kg	LOT 1 SSF-21-081 1 unit FLOUR MILL Stone Size 14 Stone Width 3" Electric Motor 3 H.P.(Single Phase) Speed 580-600 RPM V Belts Size B-47 Bearing Size Average Grinding Capacity 35 kg/ 1 Hour Box Size 12 kg
LOT 2 SSF-21-082 1 unit PULVERIZING MACHINE Weight 40 to 60 kg (approx) Material MS (Mild Steel) Motor power 1.2 HP Power Supply 230 V, 50 Hz No. of blades 6 Blade material SS Food Grade No. 304	LOT 2 SSF-21-082 1 unit PULVERIZING MACHINE Weight 40 to 60 kg (approx) Brand Dharti Material MS Motor power 1.3 HP Power Supply 230 V, 50 Hz No. of blades 6 Blade material SS Food Grade No. 304 / Aluminum
LOT 3 SSF-21-083 1 unit MULTI-FUNCTION SMOKE HOUSE Automatic Grade: Automatic Type: Smoked House Voltage: 380V Material: 304 Stainless Steel Color: Silver Product Details	LOT 3 SSF-21-083 1 unit MULTI-FUNCTION SMOKE HOUSE Automatic Grade Type: Smoked House Voltage: 220 V Material: 304 Stainless Steel Power Source : Steam Heating Process Capacity : Min. of 20 kg / batch

<p>Power Source Steam Heating Process Smoked House Material 304 Stainless Steel Capacity 250kg/H Power 27.25kw Function Multifunction Specification 1450*1980*3100mm</p>	<p>Power 2.2 kw (for control panel) Function : Multifunction, smoking for fish and meat products Include boiler, LPG tank with 11 kg content</p>
<p>LOT 4 SSF-21-084 1 unit FOOD DEHYDRATOR 10 Tray 304 stainless steel food Dehydrator Fruits, vegetables meat drying machine</p>	<p>LOT 4 1 unit FOOD DEHYDRATOR 10 Tray 304 stainless steel For fruits, vegetables, meat drying</p>
<p>5 SSF-21-085 1 unit ELECTRIC POTATO VEGETABLE WASHING, PEELING, POTATO CHIPS CUTTING MACHINE Model: RX-150 Power Dimension: 0.75kw/220v Weight Capacity: 690x410x800mm 60kg 150kg/h</p>	<p>LOT 5 SSF-21-085 1 unit ELECTRIC POTATO WASHING, PEELING, CHIPS CUTTING MACHINE Power: 0.75kw/220v Weight Capacity: 690x410x800 mm ; 60kg - 150kg/ h</p>
<p>LOT 6 SSF-21-086 4 units PRESSURE COOKER Size: Large Steam Temperature: 15 PSI, 121°C (250°F) Capacity: 12 liters</p>	<p>LOT 6 SSF-21-086 4 units PRESSURE COOKER Steam Temperature: 15 PSI, 121°C (250°F) Capacity: 12 liters</p>
<p>LOT 7 SSF-21-087 3 units STAINLESS STEEL WORKING TABLE 3' x 7.5' with shelf 1.2 mm 304 type Food grade</p>	<p>LOT 7 SSF-21-087 3 units STAINLESS STEEL WORKING TABLE 3' x 7.5' with shelf Gauge: 1.2 mm Height: 76 cm 304 type Food grade</p>
<p>LOT 8 SSF-21-088 3 units INOCULATION CHAMBER Material: Steel Power Source: Electric Voltage: 220 V Frequency: 50/60 HZ Application: Industrial</p>	<p>LOT 8 SSF-21-088 3 units INOCULATION CHAMBER Material: 304 Stainless Steel Power Source: Electric Voltage: 220 V Frequency: 50/60 HZ Application: Industrial</p>
<p>LOT11 SSF-21-091 1 unit STAINLESS STEEL SINK TABLE Durable 16 gauge type 304 stainless steel</p>	<p>LOT11 SSF-21-091 1 unit STAINLESS STEEL SINK TABLE Durable 16 gauge type 304 stainless steel top</p>

<p>top 18 gauge type 430 stainless steel under-shelf and hat channels Features a 12" deep stainless steel sink with a deck mounted faucet Convenient 5" backsplash protects posterior wall Stainless steel legs and sockets for maximum support; adjustable bullet feet</p>	<p>18 gauge type 304 stainless steel under-shelf and hat channels Features a 12" deep stainless steel sink with a deck mounted faucet Convenient 5" backsplash, protects posterior wall Stainless steel legs and sockets for maximum support; adjustable bullet feet Dimensions for table : L 140/150cm; W 50/60cm; H 80/90cm</p>
<p>LOT 12 SSF-21-092 5 units COOLING RACK WITH ROLLERS AND STAINLESS STEEL TRAYS Length: 120 cm Width: 70 cm Height: 80 cm Material: SS202</p>	<p>LOT 12 SSF-21-092 5 units COOLING RACK WITH ROLLERS AND STAINLESS STEEL TRAYS Height: 120 cm Width: 70 cm Length: 80 cm Material: SS 202 No. of shelves or racks: 15</p>
<p>LOT 13 SSF-21-093 1 unit IMPULSE FOOT SEALER Model: 600/605/6010FI Max. Seal Length: 600mm (24") Het Timer: 0.3-2.0 Sec Watts: 840/1500/1900W Suitable for plastic bags ME-300FI, ME-450FI, ME-600FI</p>	<p>LOT 13 SSF-21-093 1 unit IMPULSE FOOT SEALER Max. Seal Length: 600 mm (24") Heat Timer: 0.3 - 2.0 Sec Watts: 840/1500/1900W Suitable for plastic bags ME-300FI, ME-450FI, ME-600FI</p>
<p>LOT18 SSF-21-098 1 unit DOUBLE CHAMBER VACUUM SEALER Specifications: Dimension (L*W*H): 108*75*102 cm Chamber size: 50*45*4 cm Sealing size: 400*10 mm Output (times/min): 2 - 4 Voltage: 220V Pump Power: 750W Sealing Power: 0.8 Kw Power: 1.5 Kw Weight: 156 Kg Model Number: DZ-400/2SB</p>	<p>LOT18 SSF-21-098 1 unit DOUBLE CHAMBER VACUUM SEALER Specifications: Dimension (L*W*H): 108*75*102 cm Chamber size: 50*45*4 cm Sealing size: 400*10 mm Output (times/min): 2 - 4 Voltage: 220V Pump Power: 750W Sealing Power: 0.8 Kw Power: 1.5 Kw Weight: 156 Kg</p>
<p>LOT 19 SSF-21-099 1 unit STAINLESS STEEL TABLE Specifications: 3' x 7.5' with shelf</p>	<p>LOT 19 SSF-21-099 1 unit STAINLESS STEEL TABLE Specifications: 3' x 7.5' with shelf</p>

1.2 mm 304 type Food grade Approved Budget for the Contract (ABC): PhP55,000	Height: 76 cm 1.2 mm 304 type Food grade Approved Budget for the Contract (ABC): PhP30,000
LOT 22 SSF-21-102 1 unit REFRIGERATOR Specifications: 22.5 cu. ft./636 li. Side by side No frost Inverter refrigerator Color: black glass 10 years warranty of compressor and motor 1-year warranty for parts and labor	LOT 22 SSF-21-102 1 unit REFRIGERATOR Specifications: 22.5 cu. ft./636 li. Side by side doors No frost Inverter refrigerator Color: black glass 10 years warranty of compressor and motor 1-year warranty for parts and labor
LOT 24 SSF-21-104 2 units STAINLESS DYEING VAT Specifications: dimension 600mm-W x 2000mm-L x 400mm-H with the following components: - Built-in heavy-duty LPG burner - Movable 304-stainless cover for submerging dried Tikog leaves during dyeing - 304-stainless side handle - 304-stainless stirrer with wooden handle - Inclusive of VAT and Training on the Operation and Maintenance of the equipment	LOT 24 SSF-21-104 2 units STAINLESS DYEING VAT Specifications: dimension 500 mm-W x 2000 mm-L x 400 mm-H; with the following components: - Built-in heavy-duty LPG burner - Movable 304-stainless cover for submerging dried leaves during dyeing - 304-stainless side handle - 304-stainless stirrer with wooden handle – with drain plug - Inclusive of VAT and Training on the Operation and Maintenance of the equipment

Issued on 3rd day of December 2020, Palo, Leyte.


MA. DELIA M. CORSIGA
Chairman, Bids & Awards Committee
Department of Trade and Industry
Regional Office No. VIII
Pawing, Palo, Leyte